EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	24268	(roundtrip round adj trip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/06 14:55
85	22875	(progress status) near4 (bar\$1 window\$1 box pop- up pop adj up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/06 14:55
83	320	S1 and S2	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/06 14:55
S4	11	S1 same S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/06 14:56
S 5	174	S1 and S2 and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/06 14:58
S6	127	S5 and (lock\$3 prevent\$3 freez\$3 inhibit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/06 15:02
S7	50	S5 and (lock\$3 prevent\$3 freez\$3 inhibit\$4) with (client user interface display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2008/11/06 15:04

S8	6	(("20030195665") or ("20040049295") or ("20010021900")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/06 16:21
S9	24268	(roundtrip round adj trip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 12:52
S10	22875	(progress status) near4 (bar\$1 window\$1 box pop- up pop adj up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 12:52
S11	174	S9 and S10 and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 12:52
S12	21	S11 and (lock\$3 prevent \$3 freez\$3 inhibit\$4) with (client user interface display) and (front back) near3 end	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 12:52
S13	12	(US 20050193120-\$ or US 20070250840-\$ or US 20070226709-\$ or US 20070226709-\$ or US 20070226168-\$ or US 20070018915-\$ or US 2007001869-\$ or US 20070016639-\$ or US 20040117358-\$ or US 20030070005-\$ or US 20030070005-\$ or US 20030070000-\$). did. or (US 6746332-\$). did.	US-PGPUB; USPAT	OR	OFF	2008/11/07 13:00

S14	<u>0</u>	[(US-20050193120-\$ or US-20070226709-\$ or US-20070226709-\$ or US-20070226188-\$ or US-2007003597-\$ or US-200700168015-\$ or US-20070016869-\$ or US-20070016893-\$ or US-20030070005-\$ or US-20030070005-\$ or US-2003007000-\$), did. or (US-6746332-\$), did.) and ([front back]) near3 end	US-PGPUB; USPAT	OR	OFF	2008/11/07 13:00
S15	24268	(roundtrip round adj trip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 13:03
S16	22875	(progress status) near4 (bar\$1 window\$1 box pop- up pop adj up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 13:03
S17	320	S9 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 13:03
S18	11	S9 same S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 13:03
S19	174	S9 and S10 and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 13:03
S20	127	S11 and (lock\$3 prevent \$3 freez\$3 inhibit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 13:03

S21	50	\$11 and (lock\$3 prevent \$3 freez\$3 inhibit\$4) with (client user interface display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 13:03
S22	6	(("20030195665") or ("20040049295") or ("20010021900")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 13:03
S23	501	(install\$4) near4 (program code application) near4 (server) near4 client\$1 and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 13:11
S24	185	(install\$4) near4 (program code application) near4 (server) near4 client\$1 and @ad<"20031031" and (provision\$3 distribut\$3) near3 server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 13:11
S25	1143	(round adj trip roundtrip) and (status progress) near3 (bar indicat\$4) and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 16:10
S26	187	(round adj trip roundtrip) and (status progress) near3 (bar indicat\$4) with (message definition text) and @ad< "20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 16:10
S 27	435	(status progress) near3 (bar indicat\$4) with (message definition text) and "715"/\$.ccls. and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 16:14
S28	12	(status progress) near3 (bar indicat\$4) with (custom\$4 specific tailored) near4 (message definition text) and "715"/ \$.ccls. and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 16:14

S29	99	(status progress) near3 (bar indicat\$4) with (custom\$4 specific tailored) and "715"/\$.ccls. and @ad< "20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 16:16
S30	187	(status progress) near3 (bar indicat\$4) near4 message and "715"/\$.cds. and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 16:17
S31	4	(download upload) with (status progress) near3 (bar indicat\$4) near4 message and "715"/\$.cds. and @ad< "20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 16:18
S32	10	(roundtrip round adj trip) with (status progress) near3 (bar indicat\$4) and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 16:20
S33	27140	(roundtrip round adj trip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S34	25092	(progress status) near4 (bar\$1 window\$1 box pop- up pop adj up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S 35	387	S33 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S36	14	S33 same S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51

S37	182	S33 and S34 and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S38	134	\$37 and (lock\$3 prevent \$3 freez\$3 inhibit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S39	52	S37 and (lock\$3 prevent \$3 freez\$3 inhibit\$4) with (client user interface display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S40	6	(("20030195665") or ("20040049295") or ("20010021900")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S41	27140	(roundtrip round adj trip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S42	25092	(progress status) near4 (bar\$1 window\$1 box pop- up pop adj up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S43	182	S41 and S42 and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S44	21	\$43 and (lock\$3 prevent \$3 freez\$3 inhibit\$4) with (client user interface display) and (front back) near3 end	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51

S45	***************************************	(US-20050193120-\$ or US- 20070250840-\$ or US- 20070226709-\$ or US- 20070226168-\$ or US- 20070035597-\$ or US- 20070016915-\$ or US- 20070016893-\$ or US- 20040117358-\$ or US- 20040117358-\$ or US- 20030070000-\$ or US- 2003007000-\$ or US- 200300700-\$ or US- 200300-\$ or US- 200300-\$ or US- 20030	USPAT	OR	OFF	2009/10/12 17:51
S46		[(US-20050193120-\$ or US-20070250840-\$ or US- 20070225799-\$ or US- 20070226188-\$ or US- 20070025957-\$ or US- 20070016815-\$ or US- 200700168639-\$ or US- 20030070005-\$ or US- 20030070005-\$ or US- 20030070005-\$ or US- 2003007000-\$), did. or (US-6746332-\$), did.) and (front back) near3 end	US-PGPUB; USPAT	OR	OFF	2009/10/12 17:51
S47	27140	(roundtrip round adj trip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S48	25092	(progress status) near4 (bar\$1 window\$1 box pop- up pop adj up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S 49	387	S41 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S50	14	S41 same S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51

S51	182	S41 and S42 and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S52	134	\$43 and (lock\$3 prevent \$3 freez\$3 inhibit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S53	52	\$43 and (lock\$3 prevent \$3 freez\$3 inhibit\$4) with (client user interface display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S54	6	(("20030195665") or ("20040049295") or ("20010021900")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S55	510	(install\$4) near4 (program code application) near4 (server) near4 client\$1 and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S56	187	(install\$4) near4 (program code application) near4 (server) near4 client\$1 and @ad<"20031031" and (provision\$3 distribut\$3) near3 server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S 57	1176	(round adj trip roundtrip) and (status progress) near3 (bar indicat\$4) and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S58	190	(round adj trip roundtrip) and (status progress) near3 (bar indicat\$4) with (message definition text) and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51

S59	445	(status progress) near3 (bar indicat\$4) with (message definition text) and "715"/\$.ccls. and @ad< "20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S60	12	(status progress) near3 (bar indicat\$4) with (custom\$4 specific tailored) near4 (message definition text) and "715"/ \$.ccls. and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S61	108	(status progress) near3 (bar indicat\$4) with (custom\$4 specific tailored) and "715"/\$.ccls. and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S62	193	(status progress) near3 (bar indicat\$4) near4 message and "715"/\$.cds. and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S63	4	(download upload) with (status progress) near3 (bar indicat\$4) near4 message and "715"/\$.cds. and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/12 17:51
S64	10	(roundtrip round adj trip) with (status progress) near3 (bar indicat\$4) and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2009/10/12 17:51

EAST Search History (Interference)

<This search history is empty>

10/12/2009 5:55:15 PM

C:\ Documents and Settings\ ddunn2\ My Documents\ EAST\ Workspaces\ 10698956_11_07.wsp